
Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.







Dr. Boswell

WE SHEMAKER, BUR. PL. INDUS.,

HO-1.CHOPS &DISEASES,

U.S. EPT.AGRICULTURE.

WASHINGTON. D.C.

QUOTATION NO.170-JAN. 15-1936

GERMAN BENT genuine	80%	80%	74.00
PACIFIC BENT COLONIAL	98%	` A	57.00
ASTORIA BENT RED TAG	99%	90%	58.00
" BLUE TAG	99%	90%	59.00
SEASIDE CREEPING BENT	99%	90%	75.00
WHITE CLOVER secun 97-	98% P	91% G \$	
'' 'brishto 98	99% P	92% G	21.50
POA TRIVIALIS	93%	85%	19.25
SUNFLOWER			6.00
RYE GRASS domestic	98%	· · · · · · · · · · · · · · · · · · ·	4.50
HARD OR SHEEPS FESCUE	90%		32,00
FINE LEAVED FESCUE	80%	80%	60.00
WOOD MEADOW GRASS	80%	80%	75.00
TIMOTHY	99.50	** _	5.50
RED CLOVER	99.50	• "	20.50
KY.BLUE GRASS	85%		9.50
4 4 4 4	87%	85%	14.00
6 6 3	97%		17.75
RED TOR	93%	40%	7.50
£ 6	94%		9.50
' * * UNHULLED	60%		5.75
CHEWINGS WESCUE	96%		14.00
66 66 .	98%	•	42.00
	98%	90%	45.00

RADWAY McCULLOUGH SEEDS
'115 BROAD STREET NEW YORK N.Y.